## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Atty. Harold Pezzner, representative to applicants, on October 10, 2008.

## In The Drawings:

Applicants will designate Figure 1 by a legend such as --Prior Art—. [Note applicants' Supplemental Amendment of October 6, 2008, wherein Figure 1 is stipulated as an embodiment of extractive rectification described in WO 02/074718].

Claims 16-17, 22-25, 27-28 and 30-32 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Virginia Manoharan whose telephone number is 571-272-1450.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola, can be reached on 571-272-1444.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information

Application/Control Number: 10/566,931 Page 3

Art Unit: 1797

for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Virginia Manoharan/ Primary Examiner, Art Unit 1797